

Datasheet: BUF09C

BATCH NUMBER 174152

Description:	LEUCOPERM
Name:	LEUCOPERM
Format:	Reagent
Product Type:	Accessory Reagent
Quantity:	1000 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			

LEUCOPERM reagents are intended for fixing cells in suspension with Reagent A and then permeabilizing the cells with Reagent B. The specific formulations reduce background staining and allow simultaneous addition of permeabilization medium and fluorochrome labeled antibodies.

Product Form	Reagent A - Fixation medium Reagent B - Permeabilisation medium
---------------------	--

Preservative Stabilisers	Formaldehyde in Reagent A
---------------------------------	---------------------------

Product Information	Flow cytometric analyses with monoclonal antibodies have been restricted primarily to cell surface molecules. Intracellular structures such as cytoplasmic or nuclear enzymes, oncoproteins, cytokines, immunoglobulins etc. were largely excluded from such assays.
----------------------------	--

Also excluded from flow cytometric assays were cytoplasmic localizations of well established membrane molecules such as CD3 and CD22.

LEUCOPERM reagents allow intracellular antigen analysis with the same ease as surface antigens. The only prerequisite is the availability of suitable antibody conjugates. Most commercially available monoclonal antibody conjugates can be used with LEUCOPERM reagents. Some determinants are sensitive, however, to the fixation step involved. This and the optimal fixation time may have to be determined experimentally for each antibody conjugate.

Instructions For Use For the detection of cell cycle antigens such as Ki-67, PCNA and BrdU, methanol modification is recommended - see [protocol #F5](#).

1. Prepare cells in the appropriate manner. Adjust cell suspension to a concentration of 1×10^7 cells/ml in PBS/BSA. Whole blood samples may also be used. Bio-Rad recommend the use of EDTA anti-coagulant in these circumstances, although satisfactory results may be obtained using heparin or acid-citrate dextrose.
2. Add 100ul of cell suspension to the appropriate number of test tubes.
If required, perform staining of cell surface antigens at this stage. Following staining for the recommended period, wash cells once in PBS/BSA and discard supernatant.
3. Add 100ul of Reagent A (fixation medium, stored at room temperature).
4. Incubate for 15 minutes at room temperature.
5. Add 3ml PBS/BSA and centrifuge for 5 minutes at 300 x g. Remove supernatant.
6. Re-suspend cells in 100ul of Reagent B (Permeabilization Medium).
7. Immediately add recommended volume of the appropriate directly conjugated antibody. Vortex and incubate for 30 minutes at room temperature.
If using an unconjugated primary antibody, wash in 3ml of PBS/BSA (as per step 5) and then repeat step 7 using an appropriate secondary antibody. There is no requirement to add further Leucoperm.
8. Wash once in PBS/BSA. Remove supernatant and resuspend cells in sheath fluid for immediate analysis or resuspend cells in 0.25ml of 0.5% formaldehyde and store them at 2-8°C in the dark. Analyse fixed cells within 24 hours.

References

1. Chiu, W.C. *et al.* (2009) Effects of dietary fish oil supplementation on cellular adhesion molecule expression and tissue myeloperoxidase activity in hypercholesterolemic mice with sepsis. [J Nutr Biochem. 20: 254-60.](#)
2. Grundy, M. *et al.* (2010) The FLT3 internal tandem duplication mutation is a secondary target of the aurora B kinase inhibitor AZD1152-HQPA in acute myelogenous leukemia cells. [Mol Cancer Ther. 9: 661-72.](#)
3. Taylor, L. *et al.* (2010) The effect of acute hypoxia on heat shock protein 72 expression and oxidative stress in vivo. [Eur J Appl Physiol. 109 \(5\): 849-55.](#)
4. Bairey, O. *et al.* (2010) Arsenic-trioxide-induced apoptosis of chronic lymphocytic leukemia cells. [Int J Lab Hematol. 32 \(1 Pt 1\): e77-85.](#)
5. Myles, A. *et al.* (2011) Expression of Toll-like receptors 2 and 4 is increased in peripheral blood and synovial fluid monocytes of patients with enthesitis-related arthritis subtype of juvenile idiopathic arthritis. [Rheumatology \(Oxford\). 50: 481-8.](#)
6. Osorio, Y. *et al.* (2011) Identification of small molecule lead compounds for visceral leishmaniasis using a novel ex vivo splenic explant model system [PLoS Negl Trop Dis. 5:e962.](#)
7. Suradhat, S. *et al.* (2015) A novel DNA vaccine for reduction of PRRSV-induced

- negative immunomodulatory effects: A proof of concept. [Vaccine. 33 \(32\): 3997-4003.](#)
8. Parry, D.A. *et al.* (2016) A homozygous STIM1 mutation impairs store-operated calcium entry and natural killer cell effector function without clinical immunodeficiency. [J Allergy Clin Immunol. 137 \(3\): 955-7.e8.](#)
 9. Dishon, S. *et al.* (2017) Inhibition of Myeloid Differentiation Factor 88 Reduces Human and Mouse T-Cell Interleukin-17 and IFN γ Production and Ameliorates Experimental Autoimmune Encephalomyelitis Induced in Mice. [Front Immunol. 8: 615.](#)
 10. Nie, H. *et al.* (2017) Phenotypic switch in lung interstitial macrophage polarization in an ovalbumin-induced mouse model of asthma. [Exp Ther Med. 14 \(2\): 1284-92.](#)
 11. Jiang, W.J. *et al.* (2017) Structure-activity relationship of the inhibitory effects of flavonoids on nitric oxide production in RAW264.7 cells. [Bioorg Med Chem. 25 \(2\): 779-788.](#)
 12. Kliminski, V. *et al.* (2017) Popdc1/Bves Functions in the Preservation of Cardiomyocyte Viability While Affecting Rac1 Activity and Bnip3 Expression. [J Cell Biochem. 118 \(6\): 1505-17.](#)
 13. Arrieta-Villegas, C. *et al.* (2020) Immunogenicity and Protection against *Mycobacterium caprae* Challenge in Goats Vaccinated with BCG and Revaccinated after One Year. [Vaccines \(Basel\). 8 \(4\): 751.](#)
 14. Alhuthali, H.M. *et al.* (2020) The natural alkaloid Jerantinine B has activity in acute myeloid leukemia cells through a mechanism involving c-Jun. [BMC Cancer. 20 \(1\): 629.](#)
 15. Martelli, P. *et al.* (2021) Immune B cell responsiveness to single-dose intradermal vaccination against *Mycoplasma hyopneumoniae*. [Res Vet Sci. 141: 66-75.](#)
 16. Hatzidaki, E. *et al.* (2021) A Novel Method for Colorectal Cancer Screening Based on Circulating Tumor Cells and Machine Learning. [Entropy \(Basel\). 23 \(10\): 1248.](#)
 17. Martelli, P. *et al.* (2021) Immune B cell responsiveness to single-dose intradermal vaccination against *Mycoplasma hyopneumoniae*. [Res Vet Sci. 141: 66-75.](#)
 18. Cequier, A. *et al.* (2022) Equine Mesenchymal Stem Cells Influence the Proliferative Response of Lymphocytes: Effect of Inflammation, Differentiation and MHC-Compatibility. [Animals \(Basel\). 12 \(8\) 984.](#)
 19. Sanchez-Pino, M.D. (2022) Detection of Circulating and Tissue Myeloid-Derived Suppressor Cells (MDSC) by Flow Cytometry. [Methods Mol Biol. 2422: 247-61.](#)
 20. Franzoni, G. *et al.* (2022) Analyses of the Impact of Immunosuppressive Cytokines on Porcine Macrophage Responses and Susceptibility to Infection to African Swine Fever Viruses. [Pathogens. 11 \(2\): 166.](#)
 21. Jeong, E.M. *et al.* (2022) Targeting RUNX1 as a novel treatment modality for pulmonary arterial hypertension. [Cardiovasc Res. 118 \(16\): 3211-24.](#)
 22. Matralis, D.T. *et al.* (2023) Intracellular IFN- γ and IL-4 levels of CD4 + and CD8 + T cells in the peripheral blood of naturally infected (*Leishmania infantum*) symptomatic dogs before and following a 4-week treatment with miltefosine and allopurinol: a double-blinded, controlled and cross-sectional study. [Acta Vet Scand. 65 \(1\): 2.](#)
 23. Liu, Y. *et al.* (2024) Porous PLGA/MBG scaffold enhanced bone regeneration through osteoimmunomodulation [Composites Part B: Engineering. 272: 111202.](#)
 24. Gordon, H. *et al.* (2024) Human Intestinal Dendritic Cells Can Overcome Retinoic Acid Signaling to Generate Proinflammatory CD4 T Cells with Both Gut and Skin Homing Properties. [J Immunol. 212 \(1\): 96-106.](#)
 25. Takeuchi, T. *et al.* (2024) Potential Effects of Ischemic Postconditioning and Changes in Heat Shock Protein 72 in Patients with Acute Myocardial Infarction without Prodromal

Angina. [Int Heart J. 65 \(3\): 395-403.](#)

26. Bulun, H. *et al.* (2024) Interferon-gamma producing CD4⁺ T cells quantified by flow cytometry as early markers for *Mycobacterium avium* ssp. *paratuberculosis* infection in cattle. [Vet Res. 55 \(1\): 69.](#)

27. Gordon, H. *et al.* (2024) Human Intestinal Dendritic Cells Can Overcome Retinoic Acid Signaling to Generate Proinflammatory CD4 T Cells with Both Gut and Skin Homing Properties. [J Immunol. 212 \(1\): 96-106.](#)

28. McCarthy, N.E. *et al.* (2021) Patients with gastrointestinal irritability after TGN1412-induced cytokine storm displayed selective expansion of gut-homing αβ and γδT cells. [Cancer Immunol Immunother. 70 \(4\): 1143-53.](#)

29. Lo Giudice, A. *et al.* (2024) Establishment of Primary Cell Cultures from Canine Oral Melanomas via Fine-Needle Aspiration: A Novel Tool for Tumorigenesis and Cancer Progression Studies. [Animals \(Basel\). 14 \(13\): 1948.](#)

30. Kaushal, S.K. *et al.* (2024) IL-33 prevents age-related bone loss and memory impairment by suppression of Th17 response: evidence in a d-galactose-induced aging mouse model. [JBMR Plus. 8 \(10\): ziae101.](#)

31. Rogato, F. *et al.* (2024) Leukemia cutis as a prominent clinical sign in a dog with acute myeloid leukemia. [Vet Clin Pathol. 53 \(4\): 448-57.](#)

32. Wójtowicz, A. *et al.* (2025) Th1 and Th2 cells in equine endometrosis and their interactions with endometrial fibroblasts. [Sci Rep. 15 \(1\): 36263.](#)

33. Blay-Benach, M. *et al.* (2026) Phagocytosis of *Mycobacterium fortuitum* by Caprine Alveolar Macrophages Is Associated with iNOS and Pro-Inflammatory Markers Expression. [Int J Mol Sci. 27 \(3\): 1529.](#)

34. Arribas-Rodríguez, E. *et al.* (2026) Type 1 and CD103(+) Type 2 Conventional Dendritic Cells Are Decreased in Active Patients with Ulcerative Colitis but Not with Crohn's Disease. [Eur J Immunol. 56 \(2\): e70118.](#)

Storage

This product is shipped at ambient temperature.

LEUCOPERM Cell Permeabilisation reagents should be stored and used at room temperature. DO NOT FREEZE. Do not use reagents if a precipitate forms or discolouration occurs.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10187 #10509 available at: <https://www.bio-rad-antibodies.com/SDS/BUF09C>

Regulatory

For research purposes only

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M439338:250523'

Printed on 21 Aug 2026