

## Datasheet: PMP38 BATCH NUMBER 162846

RECOMBINANT MOUSE INTERLEUKIN-2
IL-2
Rec. Protein
Recombinant Protein
20 μg

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
ELISA	•			0.2 - 0.4 ng/well
Western Blotting	•			1.5 - 3.0 ng/lane
Functional Assays	•			0.1 - 1.0 ng/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Mouse
Product Form	Purified recombinant protein - lyophilized
Reconstitution	Reconstitute with 0.2ml distilled water  Care should be taken during reconstitution as the protein may appear as a film at the bottom of the vial. Bio-Rad recommend that the vial is gently mixed after reconstitution.
Preparation	Recombinant protein expressed in <i>E.coli</i>
Buffer Solution	10mM Sodium Citrate pH4.0
Preservative Stabilisers	None present
Carrier Free	Yes
Endotoxin Level	< 0.1 ng/ug

Approx. Protein Concentrations	0.1 mg/ml after reconstitution
External Database Links	UniProt: P04351 Related reagents  Entrez Gene: 16183 II2 Related reagents
Synonyms	II-2
Product Information	Interleukin-2 (IL-2) is a potent lymphoid cell growth factor which primarily acts on T-cells.
Protein Molecular Weight	17.2 kDa (149 amino acid sequence)
Activity	5 x 10 <sup>6</sup> Units/mg
Purity	>98% by SDS PAGE and HPLC
ELISA	This product may be used as a standard in ELISA applications either <u>AAM35</u> or <u>AAM35B</u> .
Western Blotting	This product may be used as the positive control in Western Blotting applications either <a href="AAM35">AAM35</a> or <a href="AAM35B">AAM35B</a> .
References	<ol> <li>Bénéteau, M. <i>et al.</i> (2012) Combination of glycolysis inhibition with chemotherapy results in an antitumor immune response. <u>Proc Natl Acad Sci U S A. 109: 20071-6.</u></li> <li>Weigelin, B. <i>et al.</i> (2021) Cytotoxic T cells are able to efficiently eliminate cancer cells by additive cytotoxicity. <u>Nat Commun. 12 (1): 5217.</u></li> </ol>
Storage	Prior to reconstitution store at -20°C. Following reconstitution store at -20°C.
	This product should be stored undiluted.
	Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the protein. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed for 3 months from the date of reconstitution or until the date of expiry, whichever comes first. Please see label for expiry date.
Health And Safety Information	Material Safety Datasheet documentation #10175 available at: <a href="https://www.bio-rad-antibodies.com/SDS/PMP38">https://www.bio-rad-antibodies.com/SDS/PMP38</a> 10175
Regulatory	For research purposes only

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21
 To

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50
 find a

 Email: antibody\_sales\_us@bio-rad.com
 Email: antibody\_sales\_de@bio-rad.com
 Email: antibody\_sales\_de@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M362396:200501'

## Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint