

Datasheet: STAR132A BATCH NUMBER 156764

Description:	GOAT ANTI MOUSE IgG1:Alk. Phos.
Specificity:	lgG1
Format:	Alk. Phos.
Product Type:	Polyclonal Antibody
lsotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Immunohistology - Frozen						
	Immunohistology - Paraffin	•					
	ELISA	•			1/2000 - 1/4000		
	Western Blotting	•					
	Where this antibody has not been tested for use in a particular technique this does not						
	necessarily exclude its us						
	a guide only. It is recomn		•				
	system using appropriate			-			
	System using appropriate	, nogativo,					
Target Species	Mouse						
Species Cross Reactivity	Does not react with:Hum	an					
Product Form	Purified IgG conjugated to Alkaline Phosphatase - liquid						
Antiserum Preparation	n Antisera to mouse IgG w antigen. Purified IgG1 wa			•	•		
Buffer Solution	50mM TRIS 1mM MgCl ₂						
Preservative Stabilisers	0.1%Sodium Azide (NaN 50% Glycerol	3)					

Immunogen	Mouse IgG1 paraproteins.					
External Database Links	UniProt: P01869 Related reagents P01868 Related reagents Entrez Gene: 16017 16017 Ighg1 Related reagents 16017 Ighg1 Related reagents					
Synonyms	Igh-4					
RRID	AB_2124270					
Specificity	Goat anti Mouse IgG1 antibody recognizes Mouse IgG1. This antibody has been cross absorbed against mouse IgM, IgG2a, IgG2b, IgG3 and IgA, pooled human sera and purified human paraproteins. Goat anti Mouse IgG1 antibody shows minimal cross-reactivity with human immunoglobulins.					
References	 reactivity with human immunoglobulins. Croft, N.P. <i>et al.</i> (2009) Stage-specific inhibition of MHC class I presentation by the Epstein-Barr virus BNLF2a protein during virus lytic cycle. <u>PLoS Pathog. 5(6): e1000490</u>. Zuo, J. <i>et al.</i> (2011) The Epstein-Barr virus-encoded BILF1 protein modulates immune recognition of endogenously processed antigen by targeting MHC class I molecules trafficking on both the exocytic and endocytic pathways. <u>J Virol. 85: 1604-14</u>. Knipping, K. <i>et al.</i> (2011) A gastrointestinal rotavirus infection mouse model for immune modulation studies. <u>Virol J. 8: 109</u>. Young, D. <i>et al.</i> (2012) Soy-derived di- and tripeptides alleviate colon and ileum inflammation in pigs with dextran sodium sulfate-induced colitis. <u>J Nutr. 142 (2): 363-8</u>. Bagai, U. and Pawar, A. (2013) A blood stage fraction of <i>Plasmodium berghei</i> induces protective and long lasting immune response in BALB/c mice. <u>Parasitol Int. 62: 329-36</u>. Anda, S. <i>et al.</i> (2014) Cell-cycle analyses using thymidine analogues in fission yeast. <u>PLoS One. 9 (2): e88629</u>. Kamat, M.M. <i>et al.</i> (2015) Changes in Myeloid Lineage Cells in the Uterus and Peripheral Blood of Dairy Heifers During Early Pregnancy. <u>Biol Reprod. Aug 10. pil: biolreprod.116.141069. [Epub ahead of print]</u> Ramanathan, R. <i>et al.</i> (2015) Altered expression levels of neurodevelopmental proteins in fetal brains of BTBR T+ttf.J mice with autism-like behavioral characteristics. <u>J Toxicol Environ Health A. 78 (8): 516-23</u>. Zhao, Z. <i>et al.</i> (2015) Multiple B-cell epitope vaccine induces a Staphylococcus enterotoxin B-specific IgG1 protective response against MRSA infection. <u>Sci Rep. 5</u>; <u>12371</u>. Gutierrez-Miranda, B. <i>et al.</i> (2020) Oleacein Attenuates the Pathogenesis of Experimental Autoimmune Encephalomyelitis through Both Antioxidant and Anti-Inflammatory Effects. <u>Antioxidants (Basel). 9 (11)Nov 21 [Epub ahead of print]</u>.<					

	 with EAE Journal of Neuroinflammation. 17 (1) [Epub ahead of print]. 13. Apóstolo, N. <i>et al.</i> (2020) Synapse type-specific proteomic dissection identifies IgSF8 as a hippocampal CA3 microcircuit organizer. <u>Nat Commun. 11 (1): 5171.</u> 14. Zhuang, X. <i>et al.</i> (2020) CAR T cells targeting tumor endothelial marker CLEC14A inhibit tumor growth. <u>JCI Insight. 5 (19) Oct 02 [Epub ahead of print].</u> 15. Sparks, A.M. <i>et al.</i> (2018) Natural Selection on Antihelminth Antibodies in a Wild Mammal Population. <u>Am Nat. 192 (6): 745-760.</u> 						
Storage	Store at +4ºC or at -20 Storage in frost-free fr	0ºC if preferred. eezers is not recommend	ed.	_			
	•	Should this product cont	•	ezing and thawing as this may tate we recommend			
Guarantee	Guaranteed until date						
Health And Safety Information	•	Aaterial Safety Datasheet documentation #10322 available at ttps://www.bio-rad-antibodies.com/SDS/STAR132A 0322					
Regulatory For research purposes only							
North & South Tel: +1 800 265 America Fax: +1 919 87 Email: antibody		Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-ra	Europe ad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com			
To find a batch/lot spec	ific datasheet for this produ	ict, please use our online se 'M360348:191106'	earch tool at: I	pio-rad-antibodies.com/datasheets			
		Printed on 09 Mar 2024					

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint