

Datasheet: STAR97PE BATCH NUMBER 164436

Description:	GOAT F(ab')2 ANTI HUMAN IgG:RPE
Specificity:	IgG (H/L)
Format:	RPE
Product Type:	Polyclonal Antibody
Isotype:	Polyclonal IgG
Quantity:	1 ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human			
Product Form	F(ab') ₂ fragment of I	gG conjugated to R. Ph	nycoerythrin (RPE) - ly	ophilized
Reconstitution	Reconstitute with 1	ml distilled water		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	RPE 488nm laser	496	578	

Antiserum Preparation Antisera to human IgG were raised by repeated immunisation of goats with highly purified antigen. Purified IgG was prepared from whole serum by affinity chromatography. F(ab')₂

fragments were prepared by pepsin digestion.

Buffer Solution	Phos	phate buffered saline
Preservative Stabilisers	0.09% 1% 5%	% Sodium Azide Bovine Serum Albumin Sucrose

Immunogen	Human IgG.		
External Database	UniProt:		
LIIKS	P01857 Related reagents		
	P01834 Related reagents		
	P01860 Related reagents		
	P01859 Related reagents		
	P01861 Related reagents		
	P0CG04 Related reagents		
	Entrez Gene:		
	3500 IGHG1 Related reagents		
	3514 IGKC Related reagents		
	3501 IGHG2 Related reagents		
	3502 IGHG3 Related reagents		
	3503 IGHG4 Related reagents		
	28815 IGLV2-14 Related reagents		
RRID	AB_322978		
Specificity	Goat F(ab') ₂ anti Human IgG antibody recognizes human IgG and demonstrates <1% cross-reactivity with other human immunoglobulin classes or subclasses.		
	Goat $F(ab')_2$ anti Human IgG antibody does not cross-react with Goat IgG $F(c)$ or mouse rat, bovine and horse serum proteins, as determined by immunoelectrophoresis.		
	Goat F(ab') ₂ anti Human IgG antibody has been used for the detection of the antibody reponse to an endogenous retrovirus GAG matrix in patients with rheumatoid arthritis by		
	ELISA (Nelson et al. 2014).		
Flow Cytometry	Use 50ul of the suggested working dilution to label 10 ⁶ cells in 100ul.		
References	 Nelson, P.N. <i>et al.</i> (2014) Rheumatoid Arthritis is Associated with IgG Antibodies to Human Endogenous Retrovirus Gag Matrix: A Potential Pathogenic Mechanism of Disease? <u>J Rheumatol. 41: 1952-60.</u> Trela, M. <i>et al.</i> (2019) Citrullination facilitates cross-reactivity of rheumatoid factor with 		
	non-IgG1 Fc epitopes in rheumatoid arthritis. <u>Sci Rep. 9 (1): 12068.</u>		
Storage	Store at +4°C.		

DO NOT FREEZE

This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

 Guarantee
 12 months from date of despatch

 Health And Safety Information
 Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/STAR97PE

 Regulatory
 For research purposes only

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M390945:211008'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint